Peripheral Nerve Injuries

Lecture MCQs

10 questions

MCQs

- 1. Which of the following components of the nervous system regulates voluntary muscular control?
- Autonomic
- Peripheral
- Sympathetic
- Somatic
- Germinal
- 2. Which of the following forms a component of the voluntary peripheral nervous system?
- Facial nerve
- Sympathetic nerves
- Nervi erigentes
- Corticobulbar tract
- Cardiac plexus
- 3. Which of the following is a cause for a peripheral nerve injury?
- Compartment syndrome
- Necrotising fasciitis
- B12 deficiency
- Folate deficiency
- Guillain Barre syndrome

- 4. A 23-year-old volleyball player attends with an inability to externally rotate/initiate the first 30° of shoulder abduction. What is the most likely mechanism of nerve injury?
 Laceration
 Compression
 Stretch
 Avulsion
 Dislocation
 5. A 23-year-old volleyball player attends with an inability to externally rotate/initiate the first 30° of shoulder abduction. Which is the most likely injured nerve?
 Axillary
 Infrascapular
 Long thoracic
 Suprascapular
 Thoracodorsal
- 6. In which type of nerve injury does Wallerian degeneration occur?
- Neuropraxia
- Demyelination
- Axonotmesis
- Avascular necrosis
- Peripheral neuropathy
- 7. Within which timescale would you perform revascularisation surgery in order to avoid permanent neural injury?
- 30 minutes
- 24 hours
- 3 days
- 4-6 weeks
- 6 hours

- 8. Which of the following is a classification system for nerve injuries?
- Dukes classification
- Sunderland classification
- Mirel criteria
- Gustillo & Anderson classification
- Sheffield classification
- 9. How quickly to nerves repair?
- 1mm per month
- 1mm per week
- 1mm per day
- 1mm per hour
- Never
- 10. Which of the following peripheral nerve injuries carries the best prognosis?
- Distal nerve injury
- Proximal nerve injury
- Compression injury
- Complete laceration
- Avascularisation

Ans

swers	
1.	Which of the following components of the nervous system regulates voluntary muscular control?
_	Somatic
2.	Which of the following forms a component of the voluntary peripheral nervous system?
-	Facial nerve
3.	Which of the following is a cause for a peripheral nerve injury?
-	Compartment syndrome
4.	A 23-year-old volleyball player attends with an inability to externally rotate/initiate the first
	30° of shoulder abduction. What is the most likely mechanism of nerve injury?
-	Stretch
	.7.0
5.	A 23-year-old volleyball player attends with an inability to externally rotate/initiate the first
	30° of shoulder abduction. Which is the most likely injured nerve?
-	Suprascapular
6.	In which type of nerve injury does Wallerian degeneration occur?
-	Axonotmesis
7.	Within which timescale would you perform revascularisation surgery in order to avoid
	permanent neural injury?
-	6 hours
Q	Which of the following is a classification system for perve injuries?

- Sunderland classification

- 9. How quickly to nerves repair?
- 1mm per day
- 10. Which of the following peripheral nerve injuries carries the best prognosis?
- Distal nerve injury